


Human factors in critical situations



Disclosure slide




I have no actual or potential conflicts of interest
in relation to this presentation


Error & error consequences



Identical human failure (error)



**Accidents are
not due to error
but to context**



Credit: BEA-É



Beyond humans as the fallible element

All these activities are **thought, conceived, organized, realized and supervised** by human beings
All successes should be credited to **human factors**



Photo credit: Marine Nationale



Photo credit: Gendarmerie Nationale



Photo credit: NATO



Photo credit: © armée de Terre/Défense



Photo credit: © armée de Terre/Défense



Photo credit: C. Derkenne

Human Factors - HF

Definition - Domains


“The **scientific discipline** concerned with **the understanding of interactions among humans and other elements of a system**, and the **profession** that applies theory, principles, data, and methods **to design in order to optimize human well-being** *[including health and safety]* and **overall system performance.**”



Credit Karen Arnold
(License: CC0 Public Domain)

Human Factors - HF

Domains



Human Factors | Ergonomics

Understanding Human System Interactions

Function: to ensure the evacuation of military or other casualties to Role 2





Photo Credit: C. Derkenne

TYPE OF INTERACTIONS

- (A) Human ↔ Machine**
equipment, materials, interfaces...
- (B) Human ↔ Humans**
communication, coordination, teamwork...
- (C) Human ↔ Rules/procedures**
regulation, guidelines, protocols, checklist...
- (D) Human ↔ Environment**
physical, social, organisational, cultural...

Human Factors

A growing interest in healthcare since the 2000s



IOM, 1999



Credit: WHO

Human Factors in critical situations

Development of guidelines for healthcare professionals and their organizations

Objective

To provide guidelines in the field of Human Factors for the **management of critical situations** by caregivers in healthcare [**an idea box, a toolbox**]

Critical situation in healthcare: any situation with life-threatening for patient(s) and cognition under pressure for caregivers (temporal pressure, complexity, uncertainty...)

Method

- A committee of **19 experts** from SFAR and FHS group learned societies
- **Systematic literature review** and **formulation of recommendations** following the GRADE method (Grading of Recommendations Assessment, Development and Evaluation)
- 4 domains : **Communication, Organization, Work Environment, Education & training**



FHS



SFAR

Human Factors in critical situations

Development of guidelines for healthcare professionals and their organizations

Results

21 recommendations mainly based on non-double-blind randomized studies (moderate and low quality of evidence) and on a **strong agreement between experts**

1. COMMUNICATION

Briefing

Secure
communication
*(Phraseology, closed-loop
communication, speak-up)*

Team Debriefing

2. WORK ORGANIZATION

Organization
of teamwork

Cognitive aids

Individual & team
situation awareness

Safety culture

3. WORK ENVIRONMENT

Materials
*(Logical layout, verification,
training, usability)*

Fatigue & Workload
mangement

Work environnement
(noise, psychological)

Task interruption

4. EDUCATION & TRAINING

Stress
management

Human factors


HF in critical situations

Area #1 Communication

Before (anticipate): **Team Briefing**



Recommendation. In the context of a critical situation, the experts suggest conducting a **briefing** to improve team performance, improve the safety climate and decrease adverse event rates



Design to prepare teams to cope with the situation: **clear distribution of tasks, role and responsibilities; anticipation of scenarios** that could disrupt the completion of the tasks; establish climate and goals



Allow the **pre-activation** of **knowledge** and the ordering of “**mental schemes**”
Avoid the exposure to episodes of **saturation or blockage** of our cognition under stress



Help to develop a **shared situational awareness** and a **shared actions plan**
Reduces uncertainty by making each team members' actions more predictable
Enhance **teamwork, communication** and **synergy**



Content and duration adapted to the predictability of the context

HF in critical situations

Area #1 Communication

Before (anticipate): **Team Briefing**



Recommendation. In the context of a critical situation, the experts suggest conducting **a briefing** to improve team performance, improve the safety climate and decrease adverse event rates

Example: TeamSTEPPS® Briefing Checklist

Who is on the team?	<input checked="" type="checkbox"/>
All members understand and agree upon goals?	<input checked="" type="checkbox"/>
Roles and responsibilities are understood?	<input checked="" type="checkbox"/>
What is our plan of care?	<input checked="" type="checkbox"/>
Staff and provider's availability throughout the shift?	<input checked="" type="checkbox"/>
Workload among team members?	<input checked="" type="checkbox"/>
Availability of resources	<input checked="" type="checkbox"/>

HF in critical situations:

Area #1 Communication


During (cope with): **Secured & standardized communication**

Recommendation. The experts suggest that the healthcare team in crisis situations use **secured and standardized communication** to improve morbimortality and limit the incidence of adverse events

Standard phraseology

Enables us to **communicate effectively** despite differences in language
Reduces the opportunity for **ambiguities /misunderstanding.**
Structure communications to facilitate recall

Closed loop communication for critical information



Speak-Up



Raising a safety issue
Expressing oneself assertively (with confidence, without aggression and without fear)

HF in critical situations

Area #1 Communication

After (learn): **Debriefing**



Recommendation. The experts suggest that the **healthcare team** perform a **debriefing immediately after care** in critical situation to improve technical skills and some components of non-technical skills.



Originating from the military and aeronautical sectors

Mainly use in simulation settings (training) in healthcare

Capitalization of experience
(**positive and negative**)



Experience as a learning
opportunity (technical and non-technical skills improvement of team members, organizational learning)

The Pearls Healthcare Debriefing Tool			
	Objective	Task	Sample Phrases
1 Setting the Scene	Create a safe context for learning	State the goal of debriefing, articulate the basic assumption	"Let's spend X minutes debriefing. Our goal is to improve how we work together and care for our patients." "Everyone here is intelligent and wants to improve."
2 Reactions	Explore feelings	Solicit initial reactions & emotions	"Any initial reactions?" "How are you feeling?"
3 Description	Clarify facts	Develop shared understanding of case	"Can you please share a short summary of the case?" "What was the working diagnosis? Does everyone agree?"
4 Analysis	Explore variety of performance domains	See backside of card for more details	Preview Statement (Use to introduce new topic) "At this point, I'd like to spend some time talking about [insert topic here] because [insert rationale here]" Mini Summary (Use to summarize discussion of one topic) "That was great discussion. Are there any additional comments related to [insert performance gap here]?"
Any Outstanding Issues/Concerns?			
5 Application/Summary	Identify take-aways	Learner centered Instructor centered	"What are some take-aways from this discussion for our clinical practice?" "The key learning points for the case were [insert learning points here]"

Promoting
Excellence and
Reflective Learning
in Simulation
(PEARLS)

Eppich, et al. (2015)

HF in critical situations

Area #2 Organization


During (cope with): **Check-lists and cognitive aids**

Recommendation. The experts suggest that the healthcare team in a critical situation should use **check-lists and cognitive aids** to improve quality of care and patient safety.

- Help to organize tasks realization and reasoning
- Avoid the exposure to episodes of **saturation or blockage** of our cognition **under stress**
- Provide a safe and effective method (reflect the experience of the organization and previous teams)
- Protect against the limitation of Human operators (development of routines, allow errors detection and recovery before their consequences)
- Optimize effectiveness of teamwork (reduce variability between operators, enhance coordination)

SAFE MARCHE RYAN Acronym

French standardized method for care to war wounded



HF in critical situations

Area #4 Education & Training

Recommendation. Experts suggest that health care teams facing critical situations benefit **from psychological preparation for stress management** to improve patient safety and performance

⇒ See. *Mental training for stressful situations* | Dr Fabien Ramon

Recommendation. Experts suggest that healthcare teams facing critical situations be **trained in human factors** to improve quality of care and patient safety


Non-technical skills (NTS) are **not innate**

HF education & training improve NTS and patient safety

Mandatory in others high-risk industries

Typical cursus:

- Initial theoretical course
- **Crew Resource Management** (recurrent)
- **Simulation-based training** in HF (recurrent)




Credit: SSA/CESimMO

Acknowledgments



Link to guidelines

French version (English version coming soon)



<https://sfar.org/download/facteurs-humains-en-situations-critiques/?wpdmdl=37888&refresh=635bdf6fcc0131666965359>

Human Factors in critical situations

Additional methodological information



Parachutes reduce the risk of injury after gravitational challenge, but their effectiveness has not been proved with randomised controlled trials

What is already known about this topic

Parachutes are widely used to prevent death and major injury after gravitational challenge

Parachute use is associated with adverse effects due to failure of the intervention and iatrogenic injury

Studies of free fall do not show 100% mortality

What this study adds

No randomised controlled trials of parachute use have been undertaken

The basis for parachute use is purely observational, and its apparent efficacy could potentially be explained by a “healthy cohort” effect

Individuals who insist that all interventions need to be validated by a randomised controlled trial need to come down to earth with a bump